

# Photogrammetry

KONRAD SCHINDLER, ETH ZÜRICH  
WOLFGANG FÖRSTNER, BONN UNIVERSITY

## Related Concepts

- Topographic mapping
- Image understanding
- Remote sensing
- Structure-from-motion
- Multi-view reconstruction

## Definition

Photogrammetry is the science and technology of obtaining information about the physical environment from images, with a focus on applications in surveying, mapping and high-precision metrology. The aim of photogrammetry is to provide automated or semi-automated procedures for these engineering tasks, with emphasis on a specified accuracy, reliability, and completeness of the information.

## Background

Photogrammetry is a long-established engineering discipline, which dates back to the middle of the 19<sup>th</sup> century, shortly after the invention of the photographic process. It has its roots in surveying, predominantly for aerial mapping of the earth's surface, although terrestrial “close-range” photogrammetry has always been an integral part of the discipline. Traditionally photogrammetry has emphasised 3D *geometric* modeling of the environment, since in an interactive setting this implicitly encompassed the semantic interpretation of the image content. The use of geospatial imagery with the primary purpose to infer semantic object properties from radiometric intensities is often referred to as “remote sensing”. Today these two fields overlap both in terms of methodology and of applications.

*Methods* The goal of photogrammetry is to extract geometric and semantic information from imagery.

In terms of *geometric* processing methods the photogrammetric measurement process is essentially an application of structure-from-motion theory [6], mostly (but not exclusively) with calibrated camera intrinsics. In fact a large part of the theory of camera calibration and camera orientation was first developed and applied in photogrammetry, including camera orientation from 2D-to-3D correspondences [5,1], relative camera orientation from 2D-to-2D correspondences [3], and bundle adjustment [2].

The methods for *semantic* interpretation comprise the entire armamentarium of image understanding, from early rule-based systems [14] through model-based object recognition [18] to statistical learning with modern Bayesian techniques [16]. For a recent overview see [12]. Due to the complexity of the task, only semi-automatic methods have so far found their way into commercial software and operational production pipelines.

*Relation to computer vision* Since the advent of digital images in the 1970ies a main goal has been to automate the photogrammetric process, and photogrammetrists have developed or adopted pattern recognition methods for tasks such as interest point extraction [15], feature matching and dense stereo reconstruction [7,8], semantic segmentation [11] and object category detection [4]. Thus, the science of photogrammetry is increasingly converging with computer vision and image understanding. Still photogrammetry, being a practical engineering discipline, tends to put greater emphasis on a defined (usually high) accuracy, reliability and completeness than on total automation.

*Recent developments* Since the 1990ies range images captured directly with airborne and terrestrial laser scanners have gained popularity with both practitioners and researchers in geo-information, and have become a second main data source of photogrammetry [17].

Hand in hand with that development it has become a standard routine to determine approximate or even final sensor orientations directly, rather than indirectly from observed points. The practice of observing the position and attitude of the camera during flight missions directly with a highly accurate GNSS (global navigation satellite system) receiver and IMU (inertial measurement unit) is known as *direct georeferencing*.

With the advent of high-resolution satellite sensors, spaceborne images from both optical and microwave sensors nowadays also serve as input data for the photogrammetric process. Mobile mapping systems mounted on vehicles have lead to a growing interest in large-scale photogrammetric mapping from the ground.

## Application

The most important application field of photogrammetry is topographic mapping of the earth's surface at different scales. The overwhelming majority of all existing maps have been created through photogrammetric processing of airborne or spaceborne imagery. However, photogrammetry is also prominent for small-scale mapping down to single villages, mines *etc.* A related endeavour has been the mapping of other planets in the solar system from images taken by spacecraft.

Non-topographic applications for a long time occupied only a small fraction of the market. They used to be subsumed under the term "close-range photogrammetry", the main application fields being industrial metrology (e.g. aircraft, ships, vehicle parts), construction, cultural heritage documentation, forensics, and the medical domain.

Although mapping remains the dominant application area, the boundary between photogrammetry and 3D computer vision is dissolving more and more. Today tasks like visual driver assistance and robot navigation, motion capture, virtual and augmented reality, object tracking *etc.* are by many also considered applications of photogrammetry.

Technology transfer between academia and industry has always been well established in photogrammetry, via the International Society for Photogrammetry and Remote Sensing (ISPRS, <http://www.isprs.org>) and the long-running biennial Photogrammetric Week (<http://www.ifp.uni-stuttgart.de/publications/phowo.html>).

## Recommended Readings

- [1] Abdel-Aziz, Y.I., Karara, H.M. (1971). Direct linear transformation from comparator coordinates into object space coordinates in close-range photogrammetry. Proceedings of the Symposium on Close-Range Photogrammetry, Falls Church, VA, 1–18
- [2] Brown, D.C. (1958). A solution to the general problem of multiple station analytical stereotriangulation. RCA-MTP Data Reduction Technical Report No. 43, Patrick Airforce Base, FL
- [3] Finsterwalder, S. (1897). Die geometrischen Grundlagen der Photogrammetrie. Jahresbericht der Deutschen Mathematiker-Vereinigung 6(2):1–41
- [4] Grabner, H., Nguyen, T.T., Gruber, B., Bischof, H. (2007). On-line boosting-based car detection from aerial images. ISPRS Journal of Photogrammetry and Remote Sensing 63(3):382–396
- [5] Grunert, J.A. (1841). Das Pothentische Problem in erweiterter Gestalt nebst Über seine Anwendungen in der Geodäsie. Grunerts Archiv für Mathematik und Physik, 1:238–248
- [6] Hartley, R.I., Zisserman, A. (2004). Multiple View Geometry in Computer Vision. 2<sup>nd</sup> edition. Cambridge University Press
- [7] Helava, U.V. (1976). Digital correlation in photogrammetric instruments. International Archives of Photogrammetry, 23(2).
- [8] Kelly, R.E., McConnell, P.R.H., Mildenerger, S.J. (1977). The Gestalt photomapping system. Photogrammetric Engineering and Remote Sensing, 42(11):1407–1417
- [9] Kraus, K. (2007). Photogrammetry: Geometry from Images and Laser Scans. 2<sup>nd</sup> edition. Walter de Gruyter
- [10] Luhmann, T., Robson, S., Kyle, S., Harley, I. (2006). Close Range Photogrammetry: Principles, Techniques and Applications. Whittles Publishing
- [11] Mayer, H., Laptev, I., Baumgartner, A. (1998). Multi-scale and snakes for automatic road extraction. Proceedings of the 5th European Conference on Computer Vision, Freiburg, Germany, 720–733
- [12] Mayer, H. (2008). Object extraction in photogrammetric computer vision. ISPRS Journal of Photogrammetry and Remote Sensing 63(2):213–222
- [13] McGlone J.C. (editor) (2013). Manual of Photogrammetry. 6<sup>th</sup> edition. American Society for Photogrammetry and Remote Sensing

- [14] McKeown, D.M., Harvey, W.A., McDermott, J. (1985). Rule-Based interpretation of aerial imagery. *IEEE Transactions on Pattern Analysis and Machine Intelligence* 7(5):570–585
- [15] Paderes, F.C., Mikhail, E.M., Förstner, W. (1984). Rectification of single and multiple frames of satellite scanner imagery using points and edges as control. *NASA Symposium in Mathematical Pattern Recognition and Image Analysis*
- [16] Stoica, R., Descombes, X., Zerubia, J. (2004). A Gibbs point process for road extraction in remotely sensed images. *International Journal of Computer Vision*, 57(2): 121–136
- [17] Vosselman, G., Mass, H.-G. (editors) (2010). *Airborne and terrestrial laser scanning*. Whittles Publishing
- [18] Weidner, U., Förstner, W. (1995). Towards automatic building extraction from high-resolution digital elevation models. *ISPRS Journal of Photogrammetry and Remote Sensing* 50(4):38–49