



ELSEVIER

Sustainable multifunctional landscapes: a review to implementation

Patrick J O'Farrell¹ and Pippin ML Anderson²

Historic land use practices have dramatically altered landscapes across all scales, homogenising them and restricting opportunities for humans and wildlife. The need for multifunctional landscapes which simultaneously provide food security, livelihood opportunities, maintenance of species and ecological functions, and fulfil cultural, aesthetic recreational needs is now recognised. Numerous theoretical and technical tools have been developed to understand different landscape elements, in particular the emerging research area of ecosystem services. A brief review of these tools not only shows considerable growth and opportunity, but also serves to highlight a lack of research integration and a lag in implementation. The effective implementation of sustainable multifunctional landscapes requires true transdisciplinary engagement. We suggest the use of learning organisations to bring together the multiple stakeholders necessary for multifunctional landscapes to take purchase.

Addresses

¹ Natural Resources and the Environment, CSIR, P.O. Box 320, Stellenbosch, 7599, South Africa

² African Centre for Cities, Environmental and Geographical Science Department, University of Cape Town, Rondebosch, 7700, South Africa

Corresponding author: O'Farrell, Patrick J (pofarrell@csir.co.za) and Anderson, Pippin ML (pippin.anderson@uct.ac.za)

Current Opinion in Environmental Sustainability 2010, 2:59–65

This review comes from a themed issue on Terrestrial systems
Edited by Anne Larigauderie and Harold A. Mooney

Received 15 December 2009, accepted 22 February 2010
Available online 29th March 2010

1877-3435/\$ – see front matter
© 2010 Elsevier B.V. All rights reserved.

DOI 10.1016/j.cosust.2010.02.005

Understanding dynamic landscapes

Past approaches to meeting human development needs have resulted in extensive transformation of natural ecosystems, with both agriculture and urban areas having dramatically increased their ecological footprints in the last century [1,2,3^{*}]. A critical component enabling this development has been the natural capital base and the ecosystem services that flow from it. The Millennium Ecosystem Assessment clearly demonstrated that the majority of our ecosystem services are being degraded and that drastic action, such as restoring natural capital, is required to ensure the long-term continued flow of these services [4]. Overlaid on these existing challenges is the

threat of climate change [5,6]. Whilst the exact effects of this additional dynamic are largely unknown, we can anticipate significant shifts in natural processes and in turn this will require adjusting our production strategies and survival mechanisms. The last ten years has seen a call to redirect our research efforts to meet human-induced global landscape challenges and to focus on this new ecology [2].

The emergent research area of sustainable multifunctional landscapes provides just such a focus. Sustainable multifunctional landscapes are landscapes created and managed to integrate human production and landscape use into the ecological fabric of a landscape maintaining critical ecosystem function, service flows and biodiversity retention. This is essential if we are to halt and reverse declining trends in the majority of our ecosystem services. Furthermore we need landscapes that assist species in responding to increasing climate pressures, facilitating movement and establishing in new emerging ecosystems. Only by doing this we will be able to maintain some degree of ecosystem service provision into the future.

A detailed understanding of the workings of our ecological systems, their thresholds, robustness and drivers is required if we are to develop and maintain such landscapes [1,7]. Coupled to this is the development of land use strategies, which incorporate the notion of agility or the ability to quickly shift production emphasis. This will allow for increased socio-ecological resilience and improved service provision under scenarios of change. Musacchio [8^{*}] calls for attaining this human production and ecological balance through the better management of the 'global commons' and in certain places this is being proven possible. For example, we are realising that agricultural landscapes can be managed to host biodiversity with simultaneous positive livelihood outcomes [3^{*}]. However we have been engaging in this realm for long enough to know that landscapes are complex entities; dynamic in and of themselves and further complicated in the human dimension of how they are perceived [9]. Every landscape is a function of its abiotic and biotic template combined with its own unique history of human intervention [10,11]. Landscape ecology and conservation biology have been established research areas for the last 30 years and have substantive bases with developed theory. The enactment and implementation of their principles however has lagged [12]. We attribute this to what Antrop [11] calls the chaos of landscape systems and the convolution required in engaging with these processes. Hope is offered with emerging areas of transdisciplinary research in fostering sustainable futures [13^{*}].

In this review, we consider the theoretical building blocks and emerging approaches that come together in the pursuit of sustainable multifunctional landscapes. We reflect on current tools and approaches to the development of sustainable ecological and resilient landscapes. Attention is given to the theoretical role of ecosystem services in guiding thinking around multifunctional landscapes in urban and agricultural settings. The promise offered by transdisciplinary approaches to the design and creation of landscapes to meet current and future needs is discussed [2,8^{*},14]. Latest work also highlights the gap between science, policy and implementation [14] and demonstrates the necessity of engaging with stakeholders at multiple scales in order for the concept of multifunctional landscapes to find purchase [15,16].

Tools and approaches for developing and managing sustainable multifunctional landscapes

In response to the biodiversity crisis, a substantive body of information has been generated [17]. Increasingly it is recognised that these biodiversity and ecosystem issues stretch beyond the purely ecological and into the social and economic realms. Emerging from within these disciplinary areas, and between them, are a number of theoretical approaches and technical tools, which speak to the multifunctional landscape agenda. These can broadly be divided into those tools and approaches used to explore and understand landscapes and their functioning and those tools that serve as interventions whereby we may manage a landscape to a desired end.

Exploratory tools

The research area of *ecosystem services* has largely emerged in response to biodiversity loss and the need to demonstrate the importance and value of biodiversity to human well being [18,19]. The rapid growth in research in this area has demonstrated the tremendous collection of services on which we depend [19,20]. These multiple ecosystem services range from food production and water provision, to aesthetic and recreational aspects [4,21]. These can seldom be ring fenced; with manifold services interacting in an inter-related manner in the landscape. Recent studies have demonstrated that ecosystem services do not necessarily equate directly with species richness, but relate rather to the ecosystems capacity to self correct, sustaining function, composition and structure [18,22,23^{**},24,25] we know enough to realise that adopting a precautionary approach is prudent [18,19,25]. For instance monocultures of crops provide high food yields in the short term, heterogeneous multifunctional production systems and landscapes have been shown to be more robust [26]. Ecosystem services underpin the concept of multifunctional landscapes, and growing empirical literature on ecosystem services demonstrated how tools developed for economic, landscape ecology and socio-political studies, are being drawn on and integrated

in their assessment, valuation, spatial analysis and social benefit analysis.

Economics is a major driver of production strategies which in turn affect landscape design and change. In the past economic assessments focussed on determining the advantages of growing one crop in favour of another, now ecosystem service values are being incorporated into assessments [3^{*}]. Detailed understanding of economic values associated with production strategies, opportunity costs and ecosystem services enables us to engage in trade-off analysis and identify the potential losses associated with certain landscape patterns [27,28].

The emerging literature on ecosystem service valuation approaches demonstrates diverse approaches derived for different services [29,30]. A sound understanding of opportunity costs and trade-offs allows for a more transparent decision-making system where the environmental cost is apparent [31^{*}].

Economic valuation allows for the exploration of payments for ecosystem services [32] as a tool for promoting sustainable land use buy providing financial incentives for service providers [33,34]. This has the effect of creating opportunities and increasing the potential variety of land use options. This speaks to the need, and opportunity, for agility in terms of production strategies, with value recognised in having a diversity of production options and the retention of intact ecosystems for future use options. Multifunctional production systems can be highly valuable, and Jordan *et al.* [26] demonstrate the significant values in this regard. Whilst valuation and PES may provide opportunities, both the potential for undervaluation and the inability to derive value for critical ecosystem services introduces inaccuracies into any analysis [23^{**}]. We recognise both the need to consider nonmarket goods within assessments [35] and the significance of the scale at which benefits are realised [16]. These aspects are still being grappled with and the tools for valuing elements such as noncommodity outputs show considerable promise [21,36].

Reflecting on **economic** valuation makes apparent the need for including a *social* value dimension or non-economic valuation, including people's intrinsic values and the spatial arrangement of these [14,16,37]. These values have been assessed by means of a variety of approaches including interviews and questionnaires, citizen juries, Delphi surveys, participatory rural appraisal and action research. In addition to these, designing and creating multifunctional landscapes requires the understanding of social conditions such as power relations, political agendas and politicised issues [8^{*}]. A clear understanding of who decides what constitutes a desirable environment, who 'owns' it, and who uses or benefits from the ecosystems and ecosystem services, is

an imperative for any enactment of a vision. Emerging tools to elicit this information are political analysis, social network analysis and community mapping [37,38].

Understanding landscapes from a purely *ecological* perspective is well advanced with assessments having focussed on issues such as the spatial arrangement, size, shape, connectivity, and ecological functioning of landscapes [17]. Assessing the landscape structure, or composition, configuration and properties of different patches across a landscape provides us with an understanding of the potential of that landscape. Linked to this are the concepts of landscape function, understood interns of each element interaction, and landscape connectivity, or how spatially continuous these elements are, and these determine the ability of a landscape to achieve its potential. A variety of approaches have been put forward in this regard, including graph theory [39,40], modelling [40], ecological network analysis [41], scalar analysis of connectivity [42] and fragmentation analysis [43,44] to name a few. Fischer *et al.* [45] and Fischer and Lindemayer [43] have identified key principles for the structural design and management of working landscapes in order to retain biodiversity. These focus firstly on pattern-orientated management, where structural complexity, heterogeneity and environmental gradients are incorporated into management along with the retention and creation of corridors, stepping stones, buffer areas, and large structurally complex patches of natural vegetation; and secondly on process-orientated management where key and important species are retained, appropriate disturbance regimes applied, invasive species controlled and threats to ecosystem processes minimised.

Two key *integrating exploratory tools* also stand out, these being the development and advancement of Geographical Information Systems (GIS) and scenario planning.

GIS and their ability to integrate spatial socio-economic and ecological data have been remarkable in advancing spatial analysis capabilities [9,46]. Continuous developments in this field like software package MARXAN and MARZONE now allow for the assessment of multiple land types, according to a variety of cost data, in meeting multiple objectives [47].

Scenario planning is a tool focussed on highlighting a range of possible future states, outcomes and alternatives, based on both quantitative and qualitative data and models. Applied at the landscape level it allows scientists and stakeholders to establish a shared understanding of potential alternative futures of a linked social ecological system, determine key drivers of these states, identify desired states and develop ideal landscape level blue prints for the future [48,49].

Metzger *et al.* [50] demonstrate how both GIS and scenario planning approaches can be combined in determining the effects of land use change on ecosystem services. In addition to these, new tools which quantify ecosystem services under different scenarios, such as InVEST are under development [51]. The InVEST tool is a ground breaking exploratory tool capable of modelling and mapping ecosystem services and assessing their value under a variety of predefined scenarios. There is however a clear opportunity for developing further tools and indicators which effectively integrate ecological, economic and social assessments.

Implementation tools

Exploratory tools typically identify priorities for landscape management and design. Implementing these options and designs is a further challenge. Ecological restoration is a classic example of an implementation tool, requiring identified social and ecological needs and economic viability. Restoration typifies the type of engagement required in the pursuit of multifunctional landscapes where numerous tools and disciplines must come together for 'designed ecological solutions' that provide multiple ecosystem services benefits in contrast to degraded landscapes [2,14]. This requires a pragmatic ecological science and approach, beyond the desire of reconstructing historical landscapes, towards the actual creation of a new landscapes which meet our multiple and diverse demands [3^{*}]. Lovell and Johnston [52^{**}] present practical implementation suggestions for the urban landscape where ecological principles are applied to the design of infrastructure to improve ecological performance and service delivery. Oberndorfer *et al.* [53] similarly give a practical demonstration of techniques, technical specifications and advantages of green roof development within the urban biodiversity and ecosystem service context. Likewise Pretty [54] discusses the need for integrating biological and ecological processes into food production systems, to enhance natural capital and derive improved benefits from ecosystem services, and Dale *et al.* [55] present guidelines for land managers that provide practical approaches for incorporating ecological principles into land use decisions. Whilst, Antrop [11] reminds us of the chaos of landscapes, the difficulties of understanding and measuring their complex interactions and cautions that they are hard to control, these efforts noted above are examples of growing practical attempts at making our landscapes more multifunctional.

Transdisciplinarity

Multifunctional landscapes should be perceived as tangible mixed natural and cultural interacting systems [56^{*}]. Therefore the creation and design of sustainable multifunctional landscapes requires transdisciplinary approaches [13^{*},57] that make full use of available science and technology [58]. We have moved on from simple interdisciplinary research [59] which by definition

requires only communication between different disciplines, to a recognised need for a transdisciplinary approach which calls on a true engagement between scientists, practitioners and professionals involved in land use decision making where goals and a vision for the future are negotiated, co-developed and worked towards [14,60,61].

Reflecting on the available tools reaffirms the transdisciplinary nature of the issues at hand. Despite an apparent wealth of landscape analysis tools, the examples of integrated approaches for tackling the implementation of integrated landscape planning are limited. Polasky *et al.* [31^{*}] present an excellent example of effective integration of ecological and economic criteria in determining spatial arrangements in land use planning, using the InVEST tool. However, on the whole the scarcity of implementation tools hampers the realisation of multifunctional landscape development [14,58]. The theoretical, and even empirical, literature grows, but the enactment in broader society is lacking. Furthermore the focus of research to date has been questioned, with misalignments identified between actual problems facing society and current research foci [13^{*},61]. Related to this is a lack of agreement on *how* to bring together social, cultural, economic and ecological views [62]. Whilst success stories are out there, for example in the European agricultural sector [35], this has yet to be achieved on the regional and global scales necessary to address our current environmental crises [58]. The need for collaboration and the exchange of ideas with stakeholders is now being recognised as critical to achieving this necessary transformation [15].

A call for learning organisations

Achieving true interdisciplinary and transdisciplinary engagement in the pursuit of multifunctional landscapes requires the development of mutual learning, interacting and cooperation between researchers, land managers, various government and industry sectors and decision makers [16,63]. This could be achieved through the formation of learning organisations [64^{**}]. Learning organisations are organisations that share and develop knowledge, resources and ideas towards a common goal and are constantly transforming themselves in order to meet this goal. They are typically informal temporary groups, assembled to focus on a particular problem, however they are not excluded from being attached formal institutions, depending on the nature of the problem. Such organisations would serve to make research socially relevant and user-informed and simultaneously serve the ends of stakeholder empowerment [3^{*},64^{**}]. By bringing together stakeholders from multiple disciplines and hierarchical levels (empirical, pragmatic, normative, and purposive) [3^{*},60,62] and providing a forum for adaptive processes where approaches can be repeatedly revisited and revised we will come closer to achieving

socially engaged science [15,63]. This is central to the goal of attaining sustainable multifunctional landscapes better adapted to cope with current dynamic systems [5,11,15,64^{**}].

A starting point to such an approach would be the co-development of a common future sustainable landscape vision among all relevant stakeholders [17] through, for example, scenario analysis [48,49,65]. This would need to be based on a sound understanding of the social, ecological and economic systems in question developed through the multiple tools available and with input from technical specialists with understandings of thresholds and boundaries [35,48,49,65]. Local champions who anchor this vision in the landscape, providing leadership in terms of sustainable practices to other land owners, with good working relationships with enablers, such as scientists, local government officials and industry representatives, are a critical component for successful establishment [66]. Novel product creation and certification programmes, and PES schemes may provide required incentives. Institutions such as biosphere reserves and stakeholder forums have a role to play in retaining momentum, and guiding land use practice contributions to this vision of the future [63,67]. Whilst a recent study has demonstrated the value of adopting prescriptive approaches over those where the goals are set in collaboration with stakeholder in achieving environmental benefits [68], we believe that learning organisations can play a key role in entrenching the notion of sustainability in establishing a long term vision for a landscape. Furthermore, our approach is more likely to succeed in landscapes which lack effective regulating authorities.

The iterative learning process suggested in such learning organisations should also revisit data generation with the growth and refinement of available tools [64^{**}]. Ecosystem services require monitoring, evaluation and reevaluation. Iterative approaches would address Antop's [5] concerns over the dynamic nature of landscapes, where approaches adopted in pursuing multifunctional landscapes need not be static [5,11]. This iterative process, or adaptive management, should also allow for policy formulation and reformulation and legislation development. At all levels information products and management aids need to be co-developed with stakeholders to ensure accuracy and uptake [15]. These actions should allow for an understanding of and development of multifunctional landscapes.

Issues that we continue to grapple with

Whilst we have developed a variety of tools for the analysis and assessment of landscapes we do not yet have the necessary tools for implementing sustainable multifunctional landscapes on the scale required to address current ecological crises. More work is needed in developing tools, methods and indicators for valuing and assessing multiple ecosystem services where ecological,

social and economic variables are enmeshed. Existing tools need to be further developed, in the context of a transdisciplinary environment geared towards the development of learning organisations.

In closing the science policy gap we need to reevaluate our role as academics and researchers, and determine where we should be putting our efforts in suppressing deleterious system drivers and shifting paradigms towards sustainability. We need to deviate from the traditional, and revisit our obligations to society [58,61], and in doing so be prepared to embrace different academic paradigms. Establishing functioning and appropriate transdisciplinary learning organisations will be necessary for fostering sustainable futures, and is likely to require the realignment of the goals and mandates of research institutions.

Conflicts of interest

No conflicts of interest to declare.

Acknowledgements

We would like to thank all the speakers in the 'Creating sustainable multifunctional landscapes: lessons from transdisciplinary programmes' (SO4) symposium session, Diversitas 2009, Richard Cowling, Dolf de Groot, James Blignaut, Thomas Elmqvist, Lisen Schultz, Cecilia Lundholm, and Belinda Reyers, all contributed to the ideas incorporated in this manuscript. Funding was provided by the CSIR's Multifunctional Landscapes Project, JECOS64.

References and recommended reading

Papers of particular interest, published within the period of review, have been highlighted as:

- of special interest
- of outstanding interest

1. Bennett EM, Balvanera P: **The future of production systems in a globalized world.** *Front Ecol Environ* 2007, **5**:191-198.
2. Palmer M, Bernhardt E, Chornesky E, Collins S, Dobson A, Duke C, Gold B, Jacobson R, Kingsland S, Kranz R *et al.*: **Ecology for a crowded planet.** *Science* 2004, **304**:1251-1252.
3. Scherr SJ, McNeely JA: **Biodiversity conservation and agricultural sustainability: towards a new paradigm of 'ecoagriculture' landscapes.** *Philos Trans Royal Soc B-Biol Sci* 2008, **363**:477-494.
- This paper investigates the potential for conservation in productive agricultural landscapes from a financial, institutional and policy perspective. They conclude that conservation in these working landscapes requires increased research, support to both communities and conservation agencies, and policy coordination.
4. Millennium Ecosystem Assessment: *Ecosystems and Human Well-being: A Framework for Assessment* Washington, DC: Island Press; 2003.
5. Antrop M: **Sustainable landscapes: contradiction, fiction or utopia?** *Landscape Urban Plan* 2006, **75**:187-197.
6. Mooney H, Larigauderie A, Cesario M, Elmqvist T, Hoegh-Guldberg O, Lavorel S, Mace GM, Palmer M, Scholes R, Yahara T: **Biodiversity, climate change, and ecosystem services.** *Curr Opin Environ Sustain* 2009, **1**:46-54.
7. Wilmers CC: **Understanding ecosystem robustness.** *Trends Ecol Evolut* 2007, **22**:504-506.
8. Musacchio LR: **The ecology and culture of landscape sustainability: emerging knowledge and innovation in landscape research and practice.** *Landscape Ecol* 2009, **24**:989-992.
9. Antrop M: **Background concepts for integrated landscape analysis.** *Agric Ecosyst Environ* 2000, **77**:17-28.
10. Costanza R, Graumlich L, Steffen W, Crumley C, Dearing J, Hibbard K, Leemans R, Redman C, Schimel D: **Sustainability or to collapse: what can we learn from integrating the history of humans and the rest of nature?** *Ambio* 2007, **36**:522-527.
11. Antrop M: **Landscape change: plan or chaos?** *Landscape Urban Plan* 1998, **41**:155-161.
12. Knight AT, Cowling RM, Campbell BM: **An operational model for implementing conservation action.** *Conserv Biol* 2006, **20**:408-419.
13. Fischer J, Manning AD, Steffen W, Rose DB, Daniell K, Felton A, Garnett S, Gilna B, Heinsohn R, Lindenmayer DB *et al.*: **Mind the sustainability gap.** *Trends Ecol Evol* 2007, **22**:621-624.
- Fischer *et al.* recommend that sustainability needs to be contextualised within the Earth's biophysical limits and that transdisciplinary research programmes need to be grounded in reality and focussed on tackling appropriate questions.
14. Nassauer JI, Opdam P: **Design in science: extending the landscape ecology paradigm.** *Landscape Ecol* 2008, **23**:633-644.
15. Duff G, Garnett D, Jacklyn P, Landsberg J, Ludwig J, Morrison J, Novelly P, Walker D, Whitehead P: **A collaborative design to adaptively manage for landscape sustainability in north Australia: lessons from a decade of cooperative research.** *Landscape Ecol* 2009, **24**:1135-1143.
16. Jackson LE, Pascual U, Hodgkin T: **Utilizing and conserving agrobiodiversity in agricultural landscapes.** *Agric Ecosyst Environ* 2007, **121**:196-210.
17. Lindenmayer D, Hobbs RJ, Montague-Drake R, Alexandra J, Bennett A, Burgman M, Cale P, Calhoun A, Cramer V, Cullen P *et al.*: **A checklist for ecological management of landscapes for conservation.** *Ecol Lett* 2008, **11**:78-91.
18. Balvanera P, Pfisterer AB, Buchmann N, He JS, Nakashizuka T, Raffaelli D, Schmid B: **Quantifying the evidence for biodiversity effects on ecosystem functioning and services.** *Ecol Lett* 2006, **9**:1146-1156.
19. Diaz S, Fargione J, Chapin FS, Tilman D: **Biodiversity loss threatens human well-being.** *PLoS Biol* 2006, **4**:1300-1305.
20. Fisher B, Turner RK: **Ecosystem services: classification for valuation.** *Biol Conserv* 2008, **141**:1167-1169.
21. de Groot R: **Function-analysis and valuation as a tool to assess land use conflicts in planning for sustainable, multi-functional landscapes.** *Landscape Urban Plan* 2006, **75**:175-186.
22. Chan KMA, Shaw MR, Cameron DR, Underwood EC, Daily GC: **Conservation planning for ecosystem services.** *PLoS Biol* 2006, **4**:2138-2152.
23. Redford KH, Adams WM: **Payment for ecosystem services and the challenge of saving nature.** *Conserv Biol* 2009, **23**:785-787.
- This paper presents seven points in a cautionary argument in response to the adoption of ecosystem services as the central metaphor for the expression of humanities need for nature and the resultant payment for ecosystem services angle. Arguments are hinged on economic concerns, the role of ecosystem disservices, the provision of services by non native species, valuation failure, resource conflict and the unknown impact of climate change.
24. Anderson BJ, Armsworth PR, Eigenbrod F, Thomas CD, Gillings S, Heinemeyer A, Roy DB, Gaston KJ: **Spatial covariance between biodiversity and other ecosystem service priorities.** *J Appl Ecol* 2009, **46**:888-896.
25. Vira B, Adams WM: **Ecosystem services and conservation strategy: beware the silver bullet.** *Conserv Lett* 2009, **2**:158-162.

26. Jordan N, Boody G, Broussard W, Glover JD, Keeney D, McCown BH, McIsaac G, Muller M, Murray H, Neal J *et al.*: **Environment—sustainable development of the agricultural bio-economy.** *Science* 2007, **316**:1570-1571.
27. Rodriguez JP, Beard TD, Bennett EM, Cumming GS, Cork SJ, Agard J, Dobson AP, Peterson GD: **Trade-offs across space, time, and ecosystem services.** *Ecol Soc* 2006:11.
28. Nelson E, Mendoza G, Regetz J, Polasky S, Tallis H, Cameron DR, Chan KMA, Daily GC, Goldstein J, Kareiva PM *et al.*: **Modeling multiple ecosystem services, biodiversity conservation, commodity production, and tradeoffs at landscape scales.** *Front Ecol Environ* 2009, **7**:4-11.
29. Simpson RD: **Economic analysis and ecosystems: some concepts and issues.** *Ecol Appl* 1998, **8**:342-349.
30. Turner RK, Adger WN, Brouwer R: **Ecosystem services value, research needs, and policy relevance: a commentary.** *Ecol Econ* 1998, **25**:61-65.
31. Polasky S, Nelson E, Camm J, Csuti B, Fackler P, Lonsdorf E, • Montgomery C, White D, Arthur J, Garber-Yonts B *et al.*: **Where to put things? Spatial land management to sustain biodiversity and economic returns.** *Biol Conserv* 2008, **141**:1505-1524.
- Polasky *et al.* demonstrate the processes of and potential for developing spatially explicit landscape model for exploring the potential alternative land use patterns based on both economic and biological factors.
32. Leibold MA, Holyoak M, Mouquet N, Amarasekare P, Chase JM, Hoopes MF, Holt RD, Shurin JB, Law R, Tilman D *et al.*: **The metacommunity concept: a framework for multi-scale community ecology.** *Ecol Lett* 2004, **7**:601-613.
33. Fisher B, Turner K, Zylstra M, Brouwer R, de Groot R, Farber S, Ferraro P, Green R, Hadley D, Harlow J *et al.*: **Ecosystem services and economic theory: integration for policy-relevant research.** *Ecol Appl* 2008, **18**:2050-2067.
34. Wendland KJ, Honzak M, Portela R, Vitale B, Rubinoff S, Randrianarisoa J: **Targeting and implementing payments for ecosystem services: Opportunities for bundling biodiversity conservation with carbon and water services in Madagascar.** *Ecol Econ* 2009 doi: 10.1016/j.ecolecon.2009.01.002.
35. Otte A, Simmering D, Wolters V: **Biodiversity at the landscape level: recent concepts and perspectives for multifunctional land use.** *Landscape Ecol* 2007, **22**:639-642.
36. Wiggering H, Dalchow C, Glemnitz M, Helming K, Muller K, Schultz A, Stachow U, Zander P: **Indicators for multifunctional land use—linking socio-economic requirements with landscape potentials.** *Ecol Indic* 2006, **6**:238-249.
37. Raymond CM, Bryan BA, MacDonald DH, Cast A, Strathearn S, Grandgirard A, Kalivas T: **Mapping community values for natural capital and ecosystem services.** *Ecol Econ* 2009, **68**:1301-1315.
38. Janssen MA, Bodin O, Anderies JM, Elmqvist T, Ernstson H, McAllister RRJ, Olsson P, Ryan P: **Toward a network perspective of the study of resilience in social-ecological systems.** *Ecol Soc* 2006:11.
39. Bunn AG, Urban DL, Keitt TH: **Landscape connectivity: a conservation application of graph theory.** *J Environ Manage* 2000, **59**:265-278.
40. Cantwell MD, Forman RTT: **Landscape graphs—ecological modeling with graph-theory to detect configurations common to diverse landscapes.** *Landscape Ecol* 1993, **8**:239-255.
41. Proulx SR, Promislow DEL, Phillips PC: **Network thinking in ecology and evolution.** *Trends Ecol Evolut* 2005, **20**:345-353.
42. Brooks CP: **A scalar analysis of landscape connectivity.** *Oikos* 2003, **102**:433-439.
43. Fischer J, Lindenmayer DB: **Landscape modification and habitat fragmentation: a synthesis.** *Global Ecol Biogeogr* 2007, **16**:265-280.
44. Gulinck H, Wagendorp T: **References for fragmentation analysis of the rural matrix in cultural landscapes.** *Landscape Urban Plan* 2002, **58**:137-146.
45. Fischer J, Lindenmayer DB, Manning AD: **Biodiversity ecosystem function, and resilience: ten guiding principles for commodity production landscapes.** *Front Ecol Environ* 2006, **4**:80-86.
46. Blaschke T: **The role of the spatial dimension within the framework of sustainable landscapes and natural capital.** *Landscape Urban Plan* 2006, **75**:198-226.
47. Watts ME, Ball IR, Stewart RS, Klein CJ, Wilson K, Steinback C, Lourival R, Kircher L, Possingham HP: **Marxan with zones—software for optimal conservation-based land- and sea-use zoning.** *Environ Model Software* 2009, **24**:1513-1521.
48. Biggs R, Raudsepp-Hearne C, Atkinson-Palombo C, Bohensky E, Boyd E, Cundill G, Fox H, Ingram S, Kok K, Spehar S *et al.*: **Linking futures across scales: a dialog on multiscale scenarios.** *Ecology and Society* 2007, **12**:17 [online] URL: <http://www.ecologyandsociety.org/vol12/iss11/art17/>.
49. Carpenter SR, Folke C: **Ecology for transformation.** *Trends Ecol Evolut* 2006, **21**:309-315.
50. Metzger MJ, Rounsevell MDA, Acosta-Michlik L, Leemans R, Schroter D: **The vulnerability of ecosystem services to land use change.** *Agric Ecosyst Environ* 2006, **114**:69-85.
51. Daily GC, Polasky S, Goldstein J, Kareiva PM, Mooney HA, Pejchar L, Ricketts T, Salzman J, Shallenberger R: **Ecosystem services in decision making: time to deliver.** *Front Ecol Environ* 2009, **7**:21-28.
52. Lovell ST, Johnston DM: **Designing landscapes for performance based on emerging principles in landscape ecology.** *Ecol Soc* 2009:14.
- This paper demonstrates the effective use of existing landscape ecological principles for the design of multifunctional landscapes. Both a detailed overview of the relevant principles as well as the effective presentation of real intervention options makes this paper exceptional in effectively combining the theoretical and practical.
53. Oberndorfer E, Lundholm J, Bass B, Coffman RR, Doshi H, Dunnett N, Gaffin S, Kohler M, Liu KKY, Rowe B: **Green roofs as urban ecosystems: ecological structures, functions, and services.** *Bioscience* 2007, **57**:823-833.
54. Pretty J: **Agricultural sustainability: concepts, principles and evidence.** *Philos Trans Royal Soc B—Biol Sci* 2008, **363**:447-465.
55. Dale VH, Brown S, Haeuber RA, Hobbs NT, Huntly N, Naiman RJ, Riebsame WE, Turner MG, Valone TJ: **Ecological principles and guidelines for managing the use of land.** *Ecol Appl* 2000, **10**:639-670.
56. Naveh Z: **Ten major premises for a holistic conception of multifunctional landscapes.** *Landscape Urban Plan* 2001, **57**:269-284.
- This editorial highlights the gap between the rapid developments in theoretical landscape ecology and its implementation in decision-making processes. The author seeks a breakthrough towards sustainability and calls for the full use of available scientific and technical potential for a genuine symbiosis between society and nature.
57. Musacchio LR: **The scientific basis for the design of landscape sustainability: a conceptual framework for translational landscape research and practice of designed landscapes and the six Es of landscape sustainability.** *Landscape Ecol* 2009, **24**:993-1013.
58. Naveh Z: **Landscape ecology and sustainability.** *Landscape Ecol* 2007, **22**:1437-1440.
59. Fry GLA: **Multifunctional landscapes—towards transdisciplinary research.** *Landscape Urban Plan* 2001, **57**:159-168.
60. Max-Neef MA: **Foundations of transdisciplinarity.** *Ecol Econ* 2005, **53**:5-16.
61. Tress B, Tress G, Decamps H, d'Hauteserre AM: **Bridging human and natural sciences in landscape research.** *Landscape Urban Plan* 2001, **57**:137-141.
62. Reyers B, Roux DJ, Cowling RM, Ginsburg AE, Nel JL, O' Farrell P: **Putting conservation plans to work: conservation planning as a transdisciplinary process.** *Conserv Biol* 2010 doi:10.1111/j.1523-1739.2010.01497.x.

63. Reyers B, O'Farrell PJ, Cowling RM, Egoh BN, Le Maitre DC, Vlok JHJ: **Ecosystem services, land-cover change, and stakeholders: finding a sustainable foothold for a semiarid biodiversity hotspot.** *Ecol Soc* 2009:14.
64. Cowling RM, Egoh B, Knight AT, O'Farrell PJ, Reyers B, Rouget'I M, Roux DJ, Welz A, Wilhelm-Rechman A: **An operational model for mainstreaming ecosystem services for implementation.** *Proc Natl Acad Sci USA* 2008, **105**:9483-9488.
 Cowling *et al.* develop an operational model for mainstreaming ecosystem services into local land use decisions and management. They highlight the role of assessment from both the social and biological perspective, as well as the need for economic valuation. Stakeholder involvement and the establishment of learning organisations are seen as essential in developing adaptive management strategies.
65. Peterson GD, Cumming GS, Carpenter SR: **Scenario planning: a tool for conservation in an uncertain world.** *Conserv Biol* 2003, **17**:358-366.
66. Ostrom E: **A general framework for analyzing sustainability of social-ecological systems.** *Science* 2009, **325**:419-422.
67. Olsson P, Folke C, Galaz V, Hahn T, Schultz L: **Enhancing the fit through adaptive co-management: Creating and maintaining bridging functions for matching scales in the Kristianstads Vattenrike Biosphere Reserve, Sweden.** *Ecol Soc* 2007:12.
68. Layzer JA: *Natural Experiments: Ecosystem-Based Management and the Environment* Cambridge, MA: MIT Press; 2008.